



PARTS MANUAL



CHECK OUR WEBSITE FOR THE LATEST INFORMATION:
[HTTP://WWW.RAWTHRILLS.COM](http://www.rawthrills.com)

For Parts or Service contact your local Distributor or:

**Betson Enterprises
303 Paterson Plank Road
Carlstadt, New Jersey**



**Main Phone: (201) 438-1300
Toll Free Phone: (800) 753-2513
Part Phone: (800) 828-2048
Email: rtsupport@betson.com**

CAUTION:

- The specifications of this product are subject to change without notice for reasons such as performance. Visit: rawthrills.com for latest updates and information.
- The content of this game, its main devices and design are protected under each federal law concerning patent, copyright and other intellectual properties.
- Unauthorized reproduction of this document or any of its contents is strictly forbidden.

Safety Instructions

Safety instructions apply to operators and service personnel. Read these instructions before preparing the video game machine (Video Game Machine) for play. Other safety instructions appear throughout this manual.

WARNING: TRANSPORTING THE VIDEO GAME MACHINE (Video Game Machine).

The Video Game Machine contains glass and fragile electronic devices. Use appropriate care when transporting . Avoid rough handling when moving the video game machine.

WARNING: DISCONNECT POWER.

Always turn the power OFF and unplug the Video Game Machine before attempting service or adjustments unless otherwise instructed. Installing or repairing components with the power switched ON can damage the components an void warranty.

WARNING: GROUND GAMES.

Avoid electrical shock! Do not plug in the video game machine until you have inspected and properly grounded the AC service outlet. Only plug into a grounded, three-wire outlet. Do not use a "cheater" plug, or cut off the ground pin on the line cord.

WARNING: AVOID ELECTRICAL SHOCKS.

This video game machine does not utilize an isolation transformer. Internal cabinet AC is not isolated from the external AC line. Dangerous High voltage is present inside the game when plugged into outlet. Always unplug before servicing.

WARNING: HANDLE FLOURESCENT TUBE AND LCD WITH CARE.

If you drop a fluorescent tube and it breaks, it will implode! Shattered glass can fly eight feet or more from the implosion.

WARNING: CHECK POWER SELECTOR SWITCH AND LAMPS.

Set the 115/230 VAC selector switch on the power supply for the correct line voltage on the installation site. Verify that the fluorescent lamps, 12V power supply, transformer and PC voltage selector switch are rated/set for the proper line voltage in your installation sit.

WARNING: USE PROPER FUSE.

Avoid electrical shock! Replacement fuses must be identically rated to the original fuse!

WARNING: ATTACH CONNECTORS PROPERLY.

Be sure all connectors mate properly. If connectors do not slip in easily, do not force them. Connectors are often keyed and only connect one way. Check for correct orientation.

WARNING: USE EXTREME CARE WHEN HANDLING PC.

The PC contains sensitive components such as a hard drive. Do not handle roughly. Call your distributor before servicing PC internal components. Ask about warranty information as it relates to the PC.

WARNING: FOR INDOOR USE ONLY.

The Video Game Machine is not designed for outdoor use or in the presence of water or moisture. Operate in dry and well ventilated areas away from sources of water or water jet. Do not wash games with water or any liquid.

WARNING: HAZARD TO EPILEPTICS.

A very small portion of the population has a condition which may cause them to experience epileptic seizures or have momentary loss of consciousness when viewing certain kinds of flashing lights or patterns that are present in our daily environment. These persons may experience seizures while watching some kinds of television pictures or playing certain video games. Peoples who have not had any previous seizures may nonetheless have an undetected epileptic condition.

If you or anyone in your family has experienced symptoms linked to an epileptic condition (e.g., seizures or loss of awareness), immediately consult your physician before using any video games.

We recommend that parents observe their children while they play video games. If you or your child experience the following symptoms: dizziness, altered vision, eye or muscle twitching, involuntary movements, loss of awareness, disorientation, or convulsions, DISCONTINUE USE IMMEDIATELY and consult your physician.



PRODUCT SPECIFICATIONS

OPERATING REQUIREMENTS

ELECTRICAL POWER

Domestic 120VAC @ 60 Hz, 5 amps

Foreign 240VAC @ 50Hz, 2.5 amps

TEMPERATURE

32° F to 100°F

(0°C to 38°C)

HUMIDITY

Not to exceed 95% relative humidity.

42 INCH SITDOWN MODEL MAIN CABINET DIMENSIONS (INSTALLED)

Height = 83.09 inches (211.05 cm)

Depth = 65.92 inches (167.43 cm)

Width = 41.31 inches (104.93 cm)


42 INCH SITDOWN MODEL MAIN CABINET SHIPPING WEIGHT and DIMENSION

Weight = 572 lbs. (259.45 Kg)


Game Container = W 43 inches(109 cm) x D 37 inches (93.98 cm) x H 87 inches (220.98 cm)

Seat Container = W 21.5 inches (54.61 cm) x D 37 inches (93.98 cm) x H 53.25 inches (135.26 cm)

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	600-00129-01	H2O Hardware Chassis Plate-REV-A	1
2	500-00003-02	PCB, Subwoofer Board	1
3	520-00004-01	PCB, USB Watchdog	1
4	500-00019-00	PCB, FNF, I/O Board	1
5	500-00037-01	PCB, H Driver Board	1
6	500-00030-01	PCB, USB-PWM	1
7	7572K16	Cable Clamp 3/4", Screw Mount	9
8	90316A827	18-8 SS Hex Washer Head Slotted Machine Screw 10-32 Thread, 3/8" Length	20
9	90316A831	18-8 SS Hex Washer Head Slotted Machine Screw 10-32 Thread, 3/4" Length	1
10	90675A007	Zinc-Pltd ST Machine Screw Nut w/Tooth Washer 6-32 Thread Sz. 5/16" Nut Width, 7/64" Nut Height	9




ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	601-00529-01	Cabinet Floor Power Panel	1
2	2-1-02-00-00-016	Transformer 36VAC 5A	1
3	2-1-02-00-00-021	UPS2 Power Supply 12V/9A GH	1
4	90054A197	Zinc-Plated STL Hex Washer Head Sheet Mtl Screw Slotted, NO. 8 Size, 3/4" Length	6




DD42 - Power Assy

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	DD42 - Main Cabinet Assy	DD42 - Main Cabinet Assy	1
2	DD42 - Pedestal Assy	DD42 - Pedestal Assy	1
3	DD42 - Monitor Cabinet Sub-Assy	DD42 - Monitor Cabinet Sub-Assy	1
4	DD42 - LCD Sub-Assy	DD42 - LCD Sub-Assy	1
5	DD42 - Marquee Assy	DD42 - Marquee Assy	1
6	608-00033-01	Right-Lower-Monitor-brace	1
7	608-00034-01	Left-Lower-Monitor-brace	1
8	Preferred Narrow FW 0.25		33
9	Regular LW 0.25		34
10	90910A550	Zinc-Plated STL Button Head Torx Machine Screw 1/4"-20 Thread, 2" Length	8
11	96075A231	Alloy STL Pin-In-Torx Button Socket Cap Screw 1/4"-20 Thread, 1-1/2" Length	24
12	Regular FW 0.25		2
13	92865A549	Grade 5 Zinc-Plated Steel Hex Head Cap Screw 1/4"-20 Thread, 2" Long, Fully Threaded	2




Dirty Drivin' 42in - Production Assy

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	600-00777-01	Mounting Bracket - Baja Spotlights	1
2	603-00530-01	Lens Cover - Baja Spotlights	1
3	90402A194	Zinc-Plated Steel Pan Head Phillips Machine Screw External Washer, 8-32 Thread, 1/2" Length	8
4	Preferred Narrow FW 0.164		5
5	96075A143	Alloy STL Pin-In-Tox Button Socket Cap Screw 8-32 Thread, 3/4" Length	5
6	500-00086-01	LED Puck Light Yellow (w/holes) - Black Face	1
7	500-00084-01	LED Puck Light Blue (w/holes) - Black Face	1
8	500-00065-01	LED Puck Light Red (w/holes) - Black Face	1
9	500-00085-01	LED Puck Light Green (w/holes) - Black Face	1
10	603-00569-01	Baja Spotlights	1




DD42 - Baja Spotlights

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	608-00118-01	Enclosure - Marquee (Top)	1
2	26.422.1109.50	GT3 End Fixing Lampholder (White) - BJB Electric Corp	4
3	F1518CW	18" Fluorescent Tube (15W T8 17 1/4" Cool White)	2
4	NLU21718RS-RoHS	Electronic Ballast, Universal Voltage 120V-277V 50/60 Hz	1
5	DD42 - Baja Spotlights	DD42 - Baja Spotlights	1
6	90675A009	Zinc-Plated Machine Screw Nut w/Tooth Washer 8-32 Thread Sz. 1 1/32" Nut Width, 1/8" Nut Height	2
7	606-00649-01	Dirty Drivin' - Marquee (Top)	1
8	606-00794-01	Frame - Marquee (Top)	1
9	Preferred Narrow FW 0.25		8
10	Regular LW 0.25		10
11	96075A211	Alloy STL Pin-In-Torx Buffon Socket Cap Screw 1/4"-20 Thread, 1/2" Length	10
12	606-00654-01	Reflective Decal - Marquee (Center)	1
13	606-00655-01	Reflective Decal - Marquee (Left)	1
14	606-00656-01	Reflective Decal - Marquee (Right)	1




DD42 - Marquee Assy

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	601-00509-01	DD42 Monitor Cabinet Assy	1
2	600-00793-01	Shroud - Baja Spotlights	1
3	7572K14	Cable Clamp 1/2" Screw Mount	3
4	90675A007	Znc-Pltd St Machine Screw Nut w/Tooth Washer 6-32 Thread Sz. 5/16" Nut Width, 7/64" Nut Height	3
5	601-00054-01	H2O Upper Back Door	1
6	90316A207	18-8 SS Hex Washer Head Slotted Machine Screw 8-32 Thread, 1-1/2" Length	4
7	Preferred Narrow FW 0.25		3
8	Regular LW 0.25		3
9	96075A223	Alloy STL Pin-In-Torx Button Socket Cap Screw 1/4"-20 Thread, 1" Length	3




DD42 - Monitor Cabinet Sub-Assy

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	600-00099-01	Internal Mounting Bracket	2
2	809-00002-00	42" LCD Display (Makvison M142W-267A)	1
3	800-00001-00	120mm Wire Fan Guard	1
4	603-00506-01	42" LCD Top / Bottom Spacer	2
5	603-00507-01	42" LCD Monitor Side Spacer	2
6	600-00509-01	S8-2, H2O 42" LCD Front Glass	1
7	600-00510-01	42" LCD Metal Frame	1
8	820-00001-00	Hardware, Fan, 120VAC, 19/15W	1
9	Preferred Narrow FW 0.25		18
10	Regular LW 0.25		18
11	91333A110	Nylon-Insert Locknut Hex, 6-32 Thread Size, 5/16" Width, 1 1/64" H	4
12	96075A219	Alloy STL Pin-In-Tax Button Socket Cap Screw 1/4"-20 Thread, 3/4" Length	10
13	96075A211	Alloy STL Pin-In-Tax Button Socket Cap Screw 1/4"-20 Thread, 1/2" Length	8
14	91770A829	18-8 SS Truss Head Phillips Machine Screw 10-32 Thread, 1/2" Length	10
15	93275K12 (37inch cut length)	Quick-Recovery Super-Resilient Foam Polyurethane, 1/8" Thk X 1/2" W, 39" L, Adhesive (37" Cut Length)	2
16	93275K12 (21inch cut length)	Quick-Recovery Super-Resilient Foam Polyurethane, 1/8" Thk X 1/2" W, 39" L, Adhesive Backed (21" Cut Length)	2
17	606-00097-01	42" LCD Beveled Box (made from 606-00097-01)	1




DD42 - LCD Sub-Assy



3	606-00653-01	Warning Lights Window - Right	1
2	606-00652-01	Warning Lights Window - Left	1
1	603-00522-01	DD42 - Hood	1
ITEM NO.	PART NUMBER	DESCRIPTION	QTY.


DD42 - Hood Assy





32	500-00064-01	LED Puck Light White (w/holes) - Black Face
31	606-00651-01	Decal - Dash Crank Shifter
30	606-00650-01	DD42 Speaker Bezel Mirror (Left & Right)
29	90675A011	Znc-Pltd STL Machine Screw Nut W/Tooth Washer 10-24 Thread Size, 3/8" Nut Width, 1/8" Nut Height
28	604-00023-01	DD Dash Crank
27	90402A148	Zinc-Plated Steel Pan Head Phil Machine Screw External Washer, 6-32 Thread, 1/2" Length
26	702-00025-00	LED Bulb 5V (Cluster)
25	A-490	Wedge Base Socket Assy
24	RHSNBOLT 0.19-24x0.5x0.5-C	
23	94945A225	Grade 8 Steel Nylon-Insert Thin Hex Locknut Zinc-Plated, 1/2"-20 Thread Size, 3/4" W, 5/16" H
22	91114A033	Zinc-Plated Steel External-Tooth Lock Washer 1/2" Screw Size, 0.9" OD, 0.03"-0.05" Thick
21	50-2525-00	SPLIT HUB F/5/8" SHAFT w/ 3 1/4-20 TAPPED HOLES
20	96075A139	Alloy STL Pin-in-Torx Button Socket Cap Screw 8-32 Thread, 1/2" Length
19	Regular LW 0.25	
18	702-00026-00	Large Yellow Button
17	91900A549	18-8 SS Pin-in-Torx Button Socket Cap Screw 1/4"-20 Thread, 2" Length
16	Speaker Bezel Sub-Assy	Speaker Bezel Sub-Assy
15	96075A219	Alloy STL Pin-in-Torx Button Socket Cap Screw 1/4"-20 Thread, 3/4" Length
14	2-1-14-00-00-000	Keypad (old style)
13	96075A223	Alloy STL Pin-in-Torx Button Socket Cap Screw 1/4"-20 Thread, 1" Length
12	90675A007	Znc-Pltd Stl Machine Screw Nut W/Tooth Washer 6-32 Thread Sz, 5/16" Nut Width, 7/64" Nut Height
11	7572K16	Cable Clamp 3/4", Screw Mount
10	90675A009	Znc-Pltd Stl Machine Screw Nut W/Tooth Washer 8-32 Thread Sz, 11/32" Nut Width, 1/8" Nut Height
9	90675A005	Znc-Pltd Stl Machine Screw Nut W/Tooth Washer 4-40 Thread Size, 1/4" Nut Width, 3/32" Nut Height
8	90675A029	Znc-Pltd Stl Machine Screw Nut W/Tooth Washer 1/4"-20 Thrd Sz, 7/16" Nut Width, 3/16" Nut Height
7	2-1-10-00-00-000	5.25 Full Range Speaker
6	603-00048-01	H2O Steering Wheel Cap
5	Dashboard Gauges Assy	Dashboard Gauges Assy
4	50-1035-00HD	STEERING WHEEL HOOP SOFT RUBBER STYLE 60 DUROMETER
3	50-8593-80	Steering Wheel Assy - Dirty Driving
2	hinge11_dash_H2	
1	600-00694-01	DD42 - Dashboard with Shifter
ITEM NO.	PART NUMBER	DESCRIPTION


ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	603-00529-01	Molded Gauges - Dashboard	1
2	606-00567-01	DD42 Speedometer Lens	1
3	606-00566-01	DD42 Tachometer Lens	1
4	606-00570-01	DD42 Temperature Lens	1
5	606-00569-01	DD42 Fuel Lens	1
6	606-00568-01	DD42 Nitrous Lens	1
7	HMC 461 ATP	10MM Round Standard Threaded Fresnel Lens (Amber Transparent)	1
8	B18-21.2M-Internal Tooth Lock Washers AM14		1
9	Standard LED 10mm	Standard LED - Through Hole LED 10mm Orange/Amber	1
10	CNX460-X02-4-1-12	CNX 460 LED Holder 10MM Zinc-Plated Steel Pan Head Phil Machine Screw External Washer, 4-40 Thread, 5/16" Length	1
11	90402A107		22



Dashboard Gauges Assy




ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	603-00538-01	LED Speaker Bezel - Midrange (45 cm)	1
2	600-00673-01	Speaker Grill - 5-1/4"	1
3	Narrow FW 0.125		4
4	97526A055	Blind Rivet Domed, 1/8" Dia., 188" .250" Material Thk, Black	4
5	500-00034-01-DD	LED Strip (45cm) RGB	1




Speaker Bezel Sub-Assy

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	2-1-1-00-00-000	Speaker Woofer-6.5" 4 Ohm	1
2	603-00523-01	DD42 - Plastic Seat	1
3	600-00674-01	Woofer Grill - Dirty Drivin' Seat	1
4	702-00017-00	CCFL 3.0X 300MM White Glass Tube	1
5	600-00105-01	Seat Headrest Speaker Grille REV-A	2
6	600-00620-01	SC32 Middle Seat Plate	1
7	606-00599-01	DD42 Seat Marquee	1
8	604-00007-01	Seat Slide Assy (Happo #50-0429-10)	1
9	603-00540-01	LED Spotlight Lens - Red Tint	2
10	500-00065-01	LED Puck Light Red (w/holes) - Black Face	2
11	99757A125	Button Torx Tamper-Resist Sheet Metal Screw Pin-In-Head, Black-Phosphate STL, NO 6 Size, 3/4" L	24
12	Inverter CCFL_3 pin	Invert CCFL - 3 Pin (2 pair)	1
13	90054A197	Zinc-Pltd STL Hex Washer Head Sheet Mtl Screw Slotted, NO. 8 Size, 3/4" Length	8
14	92105A410	Zinc-Alloy Knife-Thread Insert for Wood Hex Drive, w/Flange, 5/16"-18 Internal Thrd, 33/64" L (E-Z Lok 951618-13)	8
15	Regular FW 0.3125		8
16	Regular LW 0.3125		8
17	91309A581	Zinc-Pltd STL Low-Strength Hex Head Cap Screw 5/16"-18 Thread, 3/4" Length, Fully Threaded	8
18	500-00045-01	LED Strip 72 cm (Red)	1
19	600-00647-01	LED Side Clip	4




DD42 - Seat Assy



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	601-00511-01	Dirty Drive - 42 Pedestal Cabinet	1
2	DD42 - Seat Assy	DD42 - Seat Assy	1
3	600-00039-01	pedestal lower window	1
4	600-00103-01	Pedestal Diamondplate	1
5	95638A 151	Pin-in-Tox Tamper-Resist Sheet Metal Screw 18-8 SS, Button Head, NO 6 Size, 3/4" Length	3
6	8-563	Pedestal Seat Lamp CFL	1
7	600-00677-01	Light Cover - Pedestal Lower Back	1
8	702-00006-00	12 Inch red CCFL	1
9	Preferred Narrow FW 0.25		10
10	Regular LW 0.25		10
11	96075A 223	Alloy STL Pin-In-Tox Button Socket Cap Screw 1/4"-20 Thread, 1" Length	10
12	99757A 125	Button Tox Tamper-Resist Sheet Metal Screw Pin-in-Head, Black-Phosphate STL, NO 6 Size, 3/4" L	6
13	95638A 197	Pin-in-Tox Tamper-Resist Sheet Metal Screw 18-8 SS, Button Head, NO 8 Size, 3/4" Length	10
14	90054A 194	Zinc-Plated STL Hex Washer Head Sheet Mill Screw Slotted, NO. 8 Size, 1/2" Length	1
15	Inverter CCFL_3 pin	Invert CCFL - 3 Pin (2 pair)	1
16	600-00715-01	Blanking Plate - Crank Assy	1



DD42 - Pedestal Assy



DD42 - Main Cabinet Assy

50	Inverter CCFL 3 pin	Invert CCFL - 3 Pin (2 pair)
49	800-00001-00	120mm Wire Fan Guard
48	93275K34 (33inch cut length)	Quick-Recovery Super-Resilient Foam Polyurethane, 1/4" Thk X 3/4" W, 39"L, Adhesive Backed (33" Cut Length)
47	92865A546	Grade 5 Zinc-Plated Steel Hex Head Cap Screw 1/4"-20 Thread, 1-1/2" Long, Fully Threaded
46	90054A197	Znc-Pltd STL Hex Washer Head Sheet Mtl Screw Slotted, NO. 8 Size, 3/4" Length
45	91333a120	Nylon-Insert Locknut Hex, 8-32 Thread Size, 11/32" Width, 15/64" Height
44	820-00001-00	Hardware, Fan, 120VAC, 19/15W
43	90272A205	Zinc-Pltd STL Pan Head Phillips Machine Screw 8-32 Thread, 2" Length
42	90316A196	18-8 SS Hex Washer Head Slotted Machine Screw 8-32 Thread, 5/8" Length
41	Electronics Hardware Plate	Electronics Hardware Plate Assy
40	90054A194	Znc-Pltd STL Hex Washer Head Sheet Mtl Screw Slotted, NO. 8 Size, 1/2" Length
39	90316A197	18-8 SS Hex Washer Head Slotted Machine Screw 8-32 Thread, 3/4" Length
38	90675A195	Znc-Pltd STL Machine Screw Nut W/Tooth Washer 10-32 Thread Sz, 3/8" Nut Width, 1/8" Nut Height
37	92865A542	Grade 5 Zinc-Plated Steel Hex Head Cap Screw 1/4"-20 Thread, 1" Long, Fully Threaded
36	96075A223	Alloy STL Pin-in-Torx Button Socket Cap Screw 1/4"-20 Thread, 1" Length
35	91675A333	Type 410 SS Hex Washer Head Sheet Metal Screw Unslotted, NO. 8 Size, 1-1/4" Length
34	90675A029	Znc-Pltd Stl Machine Screw Nut W/Tooth Washer 1/4"-20 Thrd Sz, 7/16" Nut Width, 3/16" Nut Height
33	96075A203	Alloy STL Pin-in-Torx Button Socket Cap Screw 10-32 Thread, 1-1/2" Length
32	96075A195	Alloy STL Pin-in-Torx Button Socket Cap Screw 10-32 Thread, 1" Length
31	95638A151	Pin-in-Torx Tamper-Resist Sheet Metal Screw 18-8 SS, Button Head, NO 6 Size, 3/4" Length
30	96075A231	Alloy STL Pin-in-Torx Button Socket Cap Screw 1/4"-20 Thread, 1-1/2" Length
29	96075A219	Alloy STL Pin-in-Torx Button Socket Cap Screw 1/4"-20 Thread, 3/4" Length
28	500-00064-01	LED Puck Light White (w/holes) - Black Face
27	600-00672-01	DD42 Foot Pedal Diamond Plate
26	604-00014-01	Modular Pedal with 5k Potentiometer (Betson #47-4021)
25	608-00035-01	H2O Perforated Kick Plate
24	Cabt light block_DD42	Cabt light block_DD42
23	600-00614-01	DD42 - Dashboard Jamb Bracket
22	Diskus-Lock	
21	600-00140-01	H2O-Hasp-Assy-Right
20	600-00139-01	H2O-Hasp-Assy-Left
19	813-00001-00	Dollar Bill Validator (Up-Stacker)
18	850-00015-00	Dell 380 Minitor
17	600-00120-01	Dell OptiPlex 740 Mounting Bracket
16	600-00030-01	PEDESTAL MOUNTING CHANNEL
15	600-00110-01	H2O Cabinet Perf Side Vent
14	702-00006-00	12 inch red CCFL
13	600-00021-01	Pedal Light Lens
12	600-00646-01	DD42 Cabinet Diamond Plate
11	601-00052-01	Main Cabinet Backdoor Sub-Assy
9	608-00032-01	H2O Monitor Cabinet Support Bracket-Rev A
8	600-00076-01	AC Inlet Power Plate (standard)
7	2-1-11-00-00-000	Speaker Woofer-6.5" 4 Ohm
6	40-7000-200	
5	608-00031-01	H2O Coindoor Housing
4	DD42 - Hood Assy	DD42 - Hood Assy
3	DD42 - Power Assy	DD42 - Power Assy
2	DD42 - Dash Assy (Shifter)	DD42 - Dash Assy (Shifter)
1	601-00507-01	Dirty Driv'n - 42 Main Cabinet
ITEM NO.	PART NUMBER	DESCRIPTION

Designed & Developed by Specular Interactive, Inc.

Steven Ranck
Andrew Silber
Detmar Peterke
Brian Silva
Dale Henderscheid
Gary Carbonell
Andrew E. Wilson
Jordan Edell
Anthony De Filippis

Additional Development

Paul Forgy
Dan Stanfill
Andrew Rai
Thang Nguyen
Kaysann Franklin
Nicole Chamness

Even More Development

Alex Green
Joseph Shunk
Robin Harr

Sound Recording Facilities

PCB Productions – Los Angeles, CA

Audio Director

Keith Arem

Original Music

Michael Cohen
Keith Arem

Sound Design / Editorial

Matt Lemberger
Aaron Gallant
Keith Arem

PCB Production Coordinator

Valerie Arem

Voice Talent

Brian Silva
Andrew Silber

Special Thanks

Eugene Jarvis
Andrew Eloff
Matt Davis
Kevin Uskali
Bob Yoest
Rich Catalan
The entire team at Raw Thrills
Bob Boals and the fine folks at Betson Enterprises

From Steve – Diana, Devon, Ainsley, Logan, Gloria, and Linda

Raw Thrill Credits

Producers

Eugene Jarvis
Andrew Eloff

Cabinet Art

Jeff Mattin

Engineers

Rich Catalan
Matt Davis
Roberto Hurtado
Kevin Uskali
Bob Yoest
Andrew Sundt

Quality Assurance

Bruce Barron
Justin Cappozzo
Matt Cianchetti
Mark Hirsch
Pat LeBeau
Matt Marsden

Special Thanks

Betson Enterprises
Bob Boals, Mark Struhs, Bob Geschine, George Angermeyer,
John McKenzie, Anthony Maniscalco Jr.,
Brian Poklacki, Dave Riefke,
Gabe Torres, Ruth Jacger, Carlos Gomez, Javier Gomez
Doug Duba, Marian Lobo, Jose Alanis, Carlos Medina

Dirty Drivin'™ ©2010 Specular Interactive, Inc., and Raw Thrills, Inc. All Rights Reserved.

Uses Bink Video. Copyright © 1997-2010 by RAD Game Tools, Inc.



Uses the FMOD Ex Sound System. Copyright © by Firelight Technologies.

Uses TinyXML. Original code (2.0 and earlier) copyright © 2000-2006 Lee Thomason.

Uses code from "Real-Time Collision Detection" by Christer Ericson, published by Morgan Kaufmann Publishers, © 2005 Elsevier Inc.

**Portions of this software utilize SpeedTree® technology (©2010 Interactive Data Visualization, Inc.).
SpeedTree® is a registered trademark of Interactive Data Visualization, Inc. All rights reserved.**



**"More Human Than Human" Performed by White Zombie (P) 1995 Geffen Records
Courtesy of Geffen Records under license from Universal Music Enterprises
Written by Rob Zombie, Shauna Yseult Reynolds, Jay Noel Yuenger, and John Tempesta
(C) 1995 WB MUSIC CORP. (ASCAP) & PSYCHOHEAD MUSIC (ASCAP)
ALL RIGHTS ON BEHALF OF PSYCHOHEAD MUSIC (ASCAP)
ADMINISTERED BY WB MUSIC CORP. (ASCAP)**

Dirty Drivin'™ ©2010 Specular Interactive, Inc., and Raw Thrills, Inc. All Rights Reserved.