January 14, 2005







# OPERATORS MANUAL

- Failure to properly operate this machine could result in malfunction or accident, so please read this manual carefully before commencing operation. Be sure to operate the machine as described in this manual.
- Keep this manual available and ready for use when necessary.
- If the machine fails to function correctly, immediately turn off the machine and contact your local distributor. ( 60 Day Warranty, from date of purchase )



For Parts or Service contact your local Distributor or: Betson Enterprises 303 Paterson Plank Road Carlstadt, New Jersey



Main Phone: (201) 438-1300 Toll Free Phone: (800) 524-2343 Part Phone: (800) 828-2048

#### CAUTION:

- The specifications of this product are subject to change without notice for reasons such as performance.
- The content of this game, its main devices and design are protected under each federal law concerning patent, copyright and other intellectual properties.
- Unauthorized reproduction of this document or any of its contents is strictly forbidden.

# **Safety Instructions**

Safety instructions apply to operators and service personnel. Read these instructions before preparing the video game machine for play. Other safety instructions appear throughout this manual.

#### WARNING: TRANSPORTING THE VIDEO GAME MACHINE (VGM).

The VGM contains glass and fragile electronic devices. Use appropriate care when transporting . Avoid rough handling when moving the VGM.

#### WARNING: DISCONNECT POWER.

Always turn the power OFF and unplug the VGM before attempting service or adjustments unless otherwise instructed. Installing or repairing components with the power switched ON can damage the components an void warranty.

#### WARNING: GROUND GAMES.

Avoid electrical shock! Do not plug in the VGM until you have inspected and properly grounded it. Only plug into a grounded, three-wire outlet. Do not use a "cheater" plug, or cut off the ground pin on the line cord.

#### WARNING: AVOID ELECTRICAL SHOCKS.

This VGM does not utilize an isolation transformer. Internal cabinet AC is not isolated from the external AC line.

#### WARNING: HANDLE FLOURESCENT TUBE AND CRT WITH CARE.

If you drop a fluorescent tube or CRT and it breaks, it will implode! Shattered glass can fly eight feet or more from the implosion.

#### WARNING: CHECK POWER SELECTOR, LAMP.

Set the 115/230 VAC selector switch on the power supply for the correct line voltage on the installation site. Verify that the fluorescent lamps are rated for the proper line voltage.

#### WARNING: USE PROPER FUSE.

Avoid electrical shock! Replacement fuses must be identically rated to the original fuse!

#### WARNING: ATTACH CONNECTORS PROPERLY.

Be sure all connectors mate properly. If connectors do not slip in easily, do not force them. Connectors are often keyed and only connect one way. Check for correct orientation.

#### WARNING: USE EXTREME CARE WHEN HANDLING PC.

The PC contains sensitive components such as a hard drive. Do not handle roughly. Call your distributor before servicing PC internal components. Ask about warranty information as it relates to the PC.

#### WARNING: HAZARD TO EPILEPTICS.

A very small portion of the population has a condition which may cause them to experience epileptic seizures or have momentary loss of consciousness when viewing certain kinds of flashing lights or patterns that are present in our daily environment. These persons may experience seizures while watching some kinds of television pictures or playing certain video games. Peoples who have not had any previous seizures may nonetheless have an undetected epileptic condition.

If you or anyone in your family has experienced symptoms linked to an epileptic condition (e.g., seizures or loss of awareness), immediately consult your physician before using any video games.

We recommend that parents observe their children while they play video games. If you or your child experience the following symptoms: dizziness, altered vision, eye or muscle twitching, involuntary movements, loss of awareness, disorientation, or convulsions, DISCONTINUE USE IMMEDIATELY and consult your physician.



# **PRODUCT SPECIFICATIONS**

#### **OPERATING REQUIREMENTS**

#### ELECTRICAL POWER

Domestic120VAC @ 60 Hz, 5 ampsForeign240VAC @ 50Hz, 2.5 amps

#### **TEMPERATURE**

32° F to 100°F (0°C to 38°C)

<u>HUMIDITY</u> Not to exceed 95% relative humidity.

27 INCH SITDOWN MODEL MAIN CABINET SHIPPING DIMENSIONS Height = 83 <sup>3</sup>/<sub>4</sub> INCHES (212.72 cm) Depth = 39 inches ( 99.06 cm ) Width = 37 inches (93.98 cm)

<u>27 INCH SITDOWN MODEL MAIN CABINET SHIPPING WEIGHT</u> Weight = 495 lbs. (224.53 Kg)

 $\frac{27 \text{ INCH SEAT SHIPPING DIMENSIONS}}{\text{Height} = 54 \text{ inches (137.16 cm)}}$ Depth = 23 <sup>3</sup>/<sub>4</sub> inches (60.33 cm ) Width = 35 <sup>1</sup>/<sub>2</sub> inches (90.17 cm)

<u>27 INCH MODEL SEAT SHIPPING WEIGHT</u> Weight = 125 lbs. (57.04Kg)

#### **INSPECTION AND INSTALLATION**

WARNING: Use extreme care when moving or servicing the game cabinet. Don't plug in the game until you have read this manual.

Please check the following after the game after the game has been removed from its shipping crate and placed in a suitable play or service area.

Make sure that the game cabinet is level. Adjust the casters as needed.

- 1. Check the AC line cord for any visible signs of damage to the plug or line cord insulation.
- 2. Check for possible shipping damage to the following:
  - Player interfaces: steering wheel, buttons, keypad and shifter.
  - Seat assembly.
  - Monitor glass.
  - Cabinet backdoor.
  - Cabinet coin door.
  - Cabinet and seat decals.
- 3. Remove the coin door key from the coin return chute.
- 4. Open the top coin door and locate the key for the backdoor and the cashbox.
- 5. Locate hardware kit: tamper proof tool kit

crossover network cable

line cord

seat hardware fasteners (8 sets)

- 6. Remove the backdoor the backdoor from the cabinet and visually inspect the electronic components.
- 7. Verify that all connectors are secure and that the bottom of the cabinet is free of loose objects which may have possibly come loose during shipping.

#### Seat Assembly Procedure

WARNING: The cabinet is top heavy. Install only on level surface. Use the leg levelers to make sure the cabinet and seat are stable. Do not push against plastic parts during movement.

- 1. Roll the cabinet and seat to the intended location and lower the leg levelers until both are equal height and stable.
- Reach inside the base of the cabinet remove the bolts to fasten a mounting rail to the cabinet and set aside. Individually pull the rail out, flip it end over end and reinsert it. Fasten the rail to the inside of the cabinet with bolts until finger tight; some movement is required in the mounting rails to align holes with seat pedestal assembly. Repeat for the mounting rail on the other side. See diagram.



- 3. Roll the pedestal near the cabinet and align the opening in the pedestal with the ends of the rails. Slide the pedestal forward onto the rails leaving enough space to attach the wiring harness. Mate each cable connector and press firmly to seat the contacts. Ensure no wires are pinched during the pedestal attachment. Fasten in place with the <sup>1</sup>/<sub>4</sub>" X 20 tamper resistant screws and large flat washers provided.
- 4. Tighten the screws firmly with the wrench provided, and then tighten the bolts for the mounting rails.
- 5. Adjust all levelers until both cabinet and seat are flush and parallel with each other. Inspect for pinched wires before firmly tightening the remaining fasteners to attach the two pieces as one.

#### Power Up Procedure

- 1. Plug the game line cord into an appropriately wired and fused AC receptacle.
- 2. Locate the game AC main switch to the bottom left side on back of the game cabinet.
- 3. Turn the switch to the ON position.
- 4. The game attract feature will begin after the game is finished loading- approximately 1 minute.
- 5. Proceed to Switch Test of this document and verify proper game operation.

#### Game Networking

NOTICE: To link two games together, use the crossover cable provided in the spare parts bag. Use of another cable other than the one shipped with the game could void warranty or cause games not to link. Use network cables which are at least CAT5 grade.

#### **Networking Considerations**

Each FNF game comes with a crossover network cable. This cable is specifically designed to connect two games directly to each other.

# If you are linking more than two games, you must purchase 1 regular CAT5 cable per game and a **NETWORK SWITCH (NOT a hub).** A linking kit, including these parts, is also available from your distributor.

Take care to protect exposed game wiring from general foot traffic around the game. Use a conduit or wire way to protect the cables as needed.

Please mark linking cables for your game if other such cables are in the vicinity to avoid confusion. Network cables are not marked or coded.

Avoid routing the network cables near sources of heat, moisture or electrical energy such as neon lights, compressor motors, transformers etc.

#### Networking Setup (2 games)

- 1. Remove the network cable from the spare parts bag inside the cashbox.
- 2. If you are linking two games, connect each end of the cable to network jack behind each PC:

# [BACK OF COMPUTER]



- 3. Neatly route the cable through the notch on the back of the cabinet.
- 4. Use the DIP switch diagram below for enabling link feature and master/slave configuration. The DIP switch is located on the JAMMA I/O board. The JAMMA I/O board is mounted inside the back of the cabinet.
- 5. Reset all games simultaneously and verify that link is successful. If not, check the DIP switch settings and make sure that the network cable is connected properly and secured. Please refer to the Game Troubleshooting Guide on this manual for more details.

DIP SW#	SW1	3W2	SW3	SW4	SW5	SW6	SW7	SW8
PLAYER 1 / MASTER	OFF	OFF	OFF				*	ON
PLAYER 2	ON	OFF	OFF				*	ON

\* NOTE: This switch should be OFF for a Sitdown cabinet, ON for an Upright.

The Fast and the Furious • Copyright 2004 • Raw Thrills Inc • All rights reserved.

#### Networking Setup (3 or more games)

- 1. Get a regular (NOT crossover) CAT5 cable for each machine, 12' or longer depending on your physical configuration. Also, get a networking switch (NOT hub).
- 2. Connect one end of each cable to the back of each game's PC network port:

# [BACK OF COMPUTER]

- 3. Connect the other end of each cable to the networking switch.
- 4. On each game, neatly route the cable through the notch on the back of the cabinet.
- 5. Use the DIP switch diagram below for enabling link feature and master/slave configuration. The DIP switch is located on the JAMMA I/O board. The JAMMA I/O board is mounted inside the back of the cabinet.
- 6. Reset all games simultaneously and verify that link is successful. If not, check the DIP switch settings and make sure that the network cable is connected properly and secured. Please refer to the Game Troubleshooting Guide on this manual for more details.

DIP SW#	SW1	3W2	SW3	SW4	SW5	SW6	SW7	SW8
PLAYER 1 / MASTER	OFF	OFF	OFF				*	ON
PLAYER 2	ON	OFF	OFF				*	ON
PLAYER 3	OFF	ON	OFF				*	ON
PLAYER 4	ON	ON	OFF				*	ON
PLAYER 5	OFF	OFF	ON				*	ON
PLAYER 6	ON	OFF	ON				*	ON
PLAYER 7	OFF	ON	ON				*	ON
PLAYER 8	ON	ON	ON				*	ON

#### DIP SWITCH DIAGRAM:

\* NOTE: This switch should be OFF for a Sitdown cabinet, ON for an Upright.

#### **SETUP AND TEST MENU**

Locate the *Service Button Panel*. It is mounted inside the coin door area on top of the cash box vault. Press the **TEST** button to access the **Test Menu**.



### Menu Navigation:

Button	Action
Test	Enter Operator Screen
Start Button	Enter/Select Item Sub-Menu
Vol. (+) or View 1 Button	Scroll up thru Menu items
Vol. (-) or View 3 Button	Scroll down thru Menu items
Service or Tunes	Exit to previous Menu

#### MAIN MENU

The Test Main Menu appears when the TEST button is pressed.

Test Main Menu	Version Information
Diagnostics	Date : July 2
Game Audits	2004
Adjustments	Version: 0.0.0
Utilities	Build: 1
	Machine ID: 1
Calibration	JUSB Ver.: Debug 7
Volume	
Messages	
Exit	
Press Volume +/- or View 1/3 to Sele Press Test or Start to Activate	ect
D G T T A E A	

#### **Diagnostics Menu**

From the *Main Menu*, select *Diagnostics* and enter to view options.

Diagnostics Menu	Diagnostics
Switch Test	
DIP Switch Test	
Sound Test	
Wheel Test	
Monitor Test	
Lamp Test	
Coin Meter Test	
Watchdog Test	
Exit	
Press Volume +/- or View 1/3 to Selec	t
Press Test or Start to Activate	
Press Service or Tunes to Exit	

#### Switch Test

From the *Diagnostics* select and enter *Switch Test*. Verify proper switch input function using this menu. Each switch activated will be indicated on the test screen in corresponding yellow box and will be accompanied by a switch active sound indicator. Verify pot value for min, center and max are correct. If not, proceed to Calibration section of this manual. Press and hold the **Service Button** for three seconds to return to the *Diagnostics Menu*.

	SWITCH TE	<u>EST</u>		
Wheel /Pedal Info Input I Whee	Device Pot Y	/alue	Min Center	r Max
Gas Brake				
Button Info	Shift Info	2	Keypad Inf	<u>io</u>
1 2 3 7	One	Three	1 2 4 5 7 8	3 6 9 #
Start Handbrake Coin 1 Coin 2 Bill	TVV Info Service ( Vol+	Credit	Software II Date: July 2 Time: 15.03	# <b>1fo</b> 28, 2004 3:29
	Test		Build: 1 ID: 4	

The Fast and the Furious • Copyright 2004 • Raw Thrills Inc • All rights reserved.

#### **DIP Switch Test**

From the *Diagnostics Menu* select and enter **DIP** *Switch Test*. Verify correct DIP switch settings. Please refer to Appendix n. Press the Tunes Button to return to *Diagnostics Menu*.

· - W					
	DIP	SWITCH VA	ALUES		
	VALUE	STATE	SHITTCH		
	On	JIAIL	8	_	Net Enabled: Yes
	On		7	-	Upright: Yes
	0n		6		
	On		5		
	On		4		
	On		3	-1	
	On		2	-1	Machine ID: 7
	On		1	-1	
Hit Service/Tunes to	continue				
	2000				

#### Sound Test

From the *Diagnostics Menu* select and enter *Sound Test*. Verify that marquee, cabinet and seat sound volume and quality are good. Press the Tunes Button to return to *Diagnostics Menu* 

٦

Sound Test Menu	Sound Test
Change Music	Current Music Track:
Change Effect	Current Sound Effect:
Play 100Hz Test	Current Sound Effect.
Play 1000Hz Test	
Set Pan Center	
Set Pan Left	
Set Pan Right	
Exit	
Exit	
Press Volume +/- or View 1/	t
rress rest or Start to Activa	

#### Note:

Use Pan functions to test left/right speakers separately.

Use 100-1Khz test to verify subwoofer sound quality.

Go to Volume section to adjust sound level.

#### Wheel Test

Caution: Begin by placing the wheel at center position. The steering wheel moves automatically during the wheel test. Stay clear of the wheel!

From the *Diagnostics Menu* select and enter *Wheel Test*. Verify proper wheel force feedback function using this menu. Follow the screen instruction carefully.



#### Monitor Test

From the *Audio/Video Options* menu, select and enter *Color Bars & Purity*. Verify correct color and purity for Red, Blue and Green screens. Use the convergence screen to also verify linearity. See Appendix n.



The Fast and the Furious • Copyright 2004 • Raw Thrills Inc • All rights reserved.

#### Lamp Test

From the *Diagnostics Menu* select and enter *Lamp Test*. Use View1 or View 3 to select the lamp and press Start to activate that lamp. Verify that ALL lamps are working.

Lamp Test Menu	Lamp Test
ALL Lamps ON	
ALL Lamps OFF	
1 Lamp ON	
2 Lamp ON	
3 Lamp ON	
Tunes Lamp ON	
Start Lamp ON	
Exit	
Press Volume +/- or View 1/3 to Se	elect
Press Test or Start to Activate	
rress Service or Tunes to Exit	

Note:

Lamp function could also be verified using Switch Test.

Please check the coin door lamps as part of your game diagnostic check.

<u>Coin Meter Test</u> From the *Diagnostics Menu* select and enter *Coin Meter Test*. Advance the meter once using by pressing Start. Press the Tunes Button to return to *Diagnostics Menu*.

Hit Test/Start to advance coin meter. Press Service or Tunes to Exit

#### Watchdog Test

The Fast and the Furious • Copyright 2004 • Raw Thrills Inc • All rights reserved.

From the Diagnostics Menu select and enter Watchdog Test. The game will reset in approximately 6 seconds. The watchdog feature allows the PC to monitor normal game software and hardware operation.



#### **Game Audits**

From the Main Menu, select Game Audits and enter to view options.

Audits Menu	Game Audits	Note:
General 1 General 2 Courses Course Wins Placings Vehicles Upgrades Tunes Stunts		<ul> <li>Use game au assess game j</li> <li>Use informat determine op game difficul game award i game earning</li> <li>Use informat possible inter problems.</li> </ul>
Press Volume +/- or View 1/3 Press Test or Start to Activate Press Service or Tunes to Exit	) Navigate	

- dit screens to performance.
- ion to tions such as ty and free to maximize S.
- ion to detect mittent

#### General 1 Audits

From the *Audits Menu*, select *General 1* and enter to view general game statistics. Press the Tunes Button to return to *Main Menu*.



#### **General 2 Audits**

From the *Audits Menu*, select *General 2* and enter to view additional general game statistics. Press the Tunes Button to return to *Main Menu*.

Audits Menu	General Audits
General 1	Auto Games
General 2	Manual Games
Courses	
Course Wins	1 <sup>st</sup> Person Cam Game
Placings	Behind Cam Game
Vehicles	Behind Cam High
Upgrades	Game
Tunes	
Stunts	Coindrops
	Coindrops Slot 0 Left
Exit	Coindrops Slot 1 Right
	Coindrops Slot 2 DBV
Press Volume +/- or View 1/3 to	Navigate Current Credits
Press Test or Start to Select	Current Coins
Press Service or Tunes to Exit	

#### **Course Audits**

From the *Audits Menu*, select *Courses* and enter to view individual information on each course. View how many times each course is selected, as well as its popularity by overall percentage. Press the Tunes Button to return to *Main Menu*.

Audits Menu	Course
	Selects/Percentage
General 1	
General 2	Time Square
Courses	Mojave
Course Wins	ChinaEZ
Placings	Malibu
Vehicles	Central Park
Jpgrades	Ghetto
Tunes	Golden Gate
Stunts	New England
	Hollywood
Exit	SF Tour
	ChinaEX
	MDrive
Drage Volume 1/ or View 1/2 to Nevige	
ress volume +/- or view 1/5 to Naviga	ite
Press Service or Tunes to Exit	

#### Course Wins Audit

From the *Audits Menu*, select *Courses Wins* and enter to view individual win and overall percentage information on each course. Press the Tunes Button to return to *Main Menu*.

#### **Placings Audit**

From the *Audits Menu*, select *Placings* and enter to view individual count for each standing and percentage information. Use this information to determine game difficulty adjustments to properly reward players and maximize game earning performance. Press the Tunes Button to return to *Main Menu*.

Audits Menu	Placings/Percentage
General 1	1 <sup>st</sup> Place
General 2	2 <sup>nd</sup> Place
Courses	3 <sup>rd</sup> Place
Course Wins	4 <sup>th</sup> Place
Placings	5 <sup>th</sup> Place
Vehicles	6 <sup>th</sup> Place
Upgrades	7 <sup>th</sup> Place
Tunes	8 <sup>th</sup> Place
Stunts	
	Avg. Place:
Exit	
LAR	Longest Winning Streak:
	Longest Lose Streak:
D X7 1 X7 4/2 /	Current Win Streak:
Press Volume +/- or View 1/3 to Press Test or Start to Select	Current Lose Streak:
Press Service or Tunes to Exit	

#### Vehicles Audit

From the *Audits Menu*, select *Vehicles* and enter to view individual count for each vehicle selection and percentage information. Press the Tunes Button to return to *Main Menu*.



#### **Upgrade Audit**

From the *Audits Menu*, select *Upgrades* and enter to view individual count for each vehicle feature upgrade selection and percentage information. Press the Tunes Button to return to *Main Menu*.

Audits Menu	Upgrades/Percentage
General 1	Nitro
General 2	Spoiler
Courses	Decal
Course Wins	Tires
Placings	Ground Effects
Vehicles	Engine
Upgrades	
Tunes	
Stunts	Upgrade Users:
Exit	
Press Volume +/- or View 1/3 to Navigate Press Test or Start to Select Press Service or Tunes to Exit	2

#### <u>Tunes Audit</u>

From the *Audits Menu*, select *Tunes* and enter to view individual count for each tune selection and playtime information. Press the Tunes Button to return to *Main Menu* 



#### Stunts Audit

From the *Audits Menu*, select *Stunts* and enter to view individual count for each stunt performed. Press the Tunes Button to return to *Main Menu* 

Audits Menu	Stunts
General 1	Wheelies
General 2	Side Wheelies
Courses	Flips
Course Wins	Helis
Placings	Rolls
Vehicles	Vaults
Upgrades	End Over Ends
Tunes	Spin Outs
Stunts	Slides
	Resets
Exit	Bumps
	Landing Spins
	Nitros
Press Volume +/- or View 1/3 to Navigate Press Test or Start to Activate Press Service or Tunes to Exit	Manual Spins

#### Adjustment Menu

From the *Main Menu*, select *Adjustment Menu* and enter. The Adjustment Menu allows you to customize the game. Each variable will change an aspect of the game play and appearance. Optimizing these settings should result in continued high player interest and game earnings. You can monitor the affects of these options by comparing audit information before and after the changes have been implemented. Press Start to Select. Press Tunes or Service to Exit.

Adjustments Menu	Preference And
Pricing	Adjustments
Freeplay	
1 <sup>st</sup> Place-Free Race	
Start Time Bonus	
Checkpoint Time Bonus	
Attract Audio	
Speed Measurements	
Starting Line Girls	
Game Difficulty	
Max Credits	
Multiplay Win Gets Free Game	
Max Name Length	
Exploding Cars	
Plays For High Score Reset	
Exit	
Press Volume +/- or View 1/3 to Navigate Press Test or Start to Select	

#### Price Menu

From the *Adjustment Menu*, select *Pricing* and enter. The Pricing Menu allows you to customize the pricing options and currency acceptor credit settings. Please note that if the acceptor is not present, the price setting will not have an effect on the game. Press Start to Select. Press Tunes or Service to Exit.

Pricing Menu	<b>Credit Options</b>
Money Unit	
Coin Value	
Coins Per Bill Pulse	
Coins Per Credit	
Credits to Start	
Credits to Continue	
Exit	
Pross Volume +/ or View 1/3 to Navigate	1
11055 volume 1/- 01 view 1/5 to tvavigate	
Press Test or Start to Select	

#### Money Unit Menu

From the *Pricing Menu*, select *Money Unit* and enter. Select the currency which applies to the games location and press Start to select. Press Start to Select. Press Tunes or Service to Exit.

Select Currency	Credit Options
USD_US Dollars	Ci cuit options
AUD AUS Dollars	
CAD CAN Dollars	
EUR Euros	
GBP British Pounds	
DEM Deutschmarks	
FRF French Franks	
JPY Japanese Yen	
ITL Italian Lire	
CHF Swiss Franks	
BRL Brazilian Reals	
DKK Danish Kroner	
MXN Mexican Pesos	
RUR Russian Rubles	
KRW Korean Won	
CNY Chinese Won	
Cancel	
Press Volume +/- or View 1/3 to Nav	vigate
Press Test or Start to Select	
Pross Somiao on Tunos to Evit	

#### Coin Value Menu

From the *Pricing Menu*, select *Coin Value* and enter. Choose the coin value based on the currency selected and the coin acceptor type or setting. Press Start to Select. Press Tunes or Service to Exit.

Coin Value	<b>Credit Options</b>
0.01 USD	
0.05 USD	
0.10 USD	
0.25 USD	
0.50 USD	
1.00 USD	
2.00 USD	
5.00 USD	
10.00 USD	
20.00 USD	
50.00 USD	
100.00 USD	
Exit	
Press Volume +/- or View 1/3 to Press Test or Start to Select	Navigate
Press Service or Tunes to Exit	

#### Coin Per Bill Pulse Menu

From the *Pricing Menu*, select *Coin per Bill Pulse Menu* and enter. Choose the equivalent coin value based on the bill acceptor currency type or settings. Press Start to Select. Press Tunes or Service to Exit.



#### Coin Per Credit Menu

From the *Pricing Menu*, select *Coin per Credit Menu* and enter. Choose the number of coins required to earn one credit. Press Start to Select. Press Tunes or Service to Exit.

Coin Per Credit		Credit Options
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
Cancel		
Press Volume +/- or View 1/ Press Test or Start to Select Press Service or Tunes to E	/3 to Navigate xit	

#### Credit To Start Menu

From the *Pricing Menu*, select *Credit To Start Menu* and enter. Choose the number of credits required to start one game. Press Start to Select. Press Tunes or Service to Exit.



#### Coin Per Credit Menu

From the *Pricing Menu*, select *Credit To Continue Menu* and enter. Choose the number of credits required to continue from the current game. Press Start to Select. Press Tunes or Service to Exit.



#### Free Play Menu

From the *Adjustment Menu*, select *Free Play* and enter. Select whether the game should be in Free Play Mode. On this mode, a game may be started by simply pressing Start button. Press Start to Select. Press Tunes or Service to Exit.



#### 1<sup>st</sup> Place Free Race Menu

From the *Adjustment Menu*, select **1**<sup>st</sup> *Place Free Race* and enter. The player wins a free race for a 1<sup>st</sup> place overall finish during a single of networked race game. Press Start to Select. Press Tunes or Service to Exit.

First Place Wins Free Race?	Preference and Adjustments
Yes	
Cancel	
Press Volume +/- or View 1/3 to Navigate	
Press Test or Start to Select	

#### Start Time Bonus Menu

From the *Adjustment Menu*, select *Start Time Bonus* and enter. Select the amount of time in seconds given to the player to reach the first check point. Press Start to Select. Press Tunes or Service to Exit.



#### **Checkpoint Bonus Time Menu**

From the *Adjustment Menu*, select *Checkpoint Bonus Time* and enter. Select the amount of time in seconds given to the player to reach the next check point after reaching a check point. Press Start to Select. Press Tunes or Service to Exit.



#### Attract Audio Menu

From the *Adjustment Menu*, select *Attract Audio* and enter. Select whether audio is active/ playing in attract mode. Press Start to Select. Press Tunes or Service to Exit



#### **Speed Measurement Menu**

From the *Adjustment Menu*, select *Speed Measurement* and enter. Select which unit is to be used to measure car speed. Choose MPH or Miles per Hour. Choose KPH or Kilometers per Hour. Press Start to Select. Press Tunes or Service to Exit



#### Starting Line Girls Menu

From the *Adjustment Menu*, select *Starting Line Girls* and enter. Starting line girls feature can be activated or deactivated by selecting yes or no. Press Start to Select. Press Tunes or Service to Exit.



Note:

The starting line crowd can be removed for certain locations which may consider this feature not suitable or appropriate.

#### **Game Difficulty Menu**

From the *Adjustment Menu*, select *Game Difficulty* and enter. The default difficulty level is 5. Press Start to Select. Press Tunes or Service to Exit.



#### Note:

Please reference the game Audit information to determine the appropriate difficulty setting for your location. Compare changes in game statistics and game revenue before and after the change.

#### Max Credits Menu

From the Adjustment Menu, select Max Credits and enter. Press Start to Select. Press Tunes or Service to Exit.



#### Multiplay Win Gets Free Race Menu

From the *Adjustment Menu*, select *Multiplay Win Gets Free Race* and enter. Winner of a networked game wins a free race if active. Default setting is No. Press Start to Select. Press Tunes or Service to Exit.

Multiplay 1 <sup>st</sup> Wins Free Race?	Preference and Adjustments
Yes	Ū
No	
Cancel	
Press Volume +/- or View 1/3 to Navigate	
Press Service or Tunes to Exit	

#### Wheel Stiffness Level Menu

From the *Adjustment Menu*, select *Wheel Stiffness* and enter. Select wheel stiffness level. Default setting is 0.20. Press Start to Select. Press Tunes or Service to Exit.



#### Max Name Length Menu

From the *Adjustment Menu*, select *Max Name Length* and enter. This refers to the number of allowable characters when entering player names. Press Start to Select. Press Tunes or Service to Exit.



#### **Exploding Cars Menu**

From the *Adjustment Menu*, select *Exploding Cars* and enter. Exploding cars apply only to Drone Cars during high speed collisions. Press Start to Select. Press Tunes or Service to Exit.



#### Plays for High Score Reset Menu

From the *Adjustment Menu*, select *Plays for High Score Reset* and enter. Select the number of plays before high score table is reset. Press Start to Select. Press Tunes or Service to Exit.

Plays For High Score Reset?	Preference and Adjustments
1000	
2000	
2500	
5000	
7500	
10000	
12500	
15000	
17500	
20000	
Cancel	
Press Volume +/- or View 1/3 to Navigate	
Press Service or Tunes to Exit	

#### **Utilities Menu**

From the **Test Main Menu**, select **Utilities** and enter. The Utilities Menu contains tools which the operator could use to manage game adjustments or reset key game and player score and statistic information. The option to perform a game factory restore can also be accessed.

Utilities Menu	Utilities
CRC Check	Please note the following:
Clear Credits Clear Audits Reset High Scores Reset Player Stats Default Adjustments Factory Restore	Setting default adjustments or performing a factory restore will require calibration afterwards.
Cancel	A factory restore will perform all the resets listed at the left,
Press Volume +/- or View 1/3 to Navig Press Test or Start to Select Press Service or Tunes to Exit	gate clearing credits, audits, high scores, player data.

#### Note:

- Information will be permanently erased by Clear or Reset functions.
- It is often ideal to perform a factory restore when the game is being moved to a new location.
- Record your game audit information if performing any of the above functions.

#### **CRC Check Menu**

From the *Utilities Menu*, select *CRC Check* and enter. Performing CRC check verifies the integrity of the software. Press Start to Select. Press Tunes or Service to Exit.

Really Perform CRC Check?	Utilities
Yes	Please note the
No	following:
Cancel	Setting default adjustments or performing a factory restore will require calibration afterwards.
	A factory restore will perform all the resets listed at the left, clearing credits,
Press Volume +/- or View 1/3 to Navigate Press Test or Start to Select Press Service or Tunes to Exit	audits, high scores, player data.

#### **Clear Credit Menu**

From the *Utilities Menu*, select *Clear Credits* and enter. Performing Clear Credit will delete any remaining credits posted. Press Start to Select. Press Tunes or Service to Exit.

Really Clear Credits?	Utilities
Yes No	Please note the following:
Cancel	Setting default adjustments or performing a factory restore will require calibration afterwards.
	A factory restore will perform all the resets listed at the left, clearing credits,
Press Volume +/- or View 1/3 to Navigate Press Test or Start to Select Press Service or Tunes to Exit	audits, high scores, player data.

#### Clear Audit Menu

From the *Utilities Menu*, select *Clear Audit* and enter. Performing Clear Audit will delete all audit information found on the Audit Menu. Please record them if you ever need to reference the information. Press Start to Select. Press Tunes or Service to Exit.

Really Clear Credits?	Utilities
Yes No	Please note the following:
Cancel	Setting default adjustments or performing a factory restore will require calibration afterwards.
Press Volume +/- or View 1/3 to Navigate	A factory restore will perform all the resets listed at the left, clearing credits, audits, high scores,
Press Test or Start to Select Press Service or Tunes to Exit	player data.

#### **Clear High Scores Menu**

From the *Utilities Menu*, select *Clear High Scores* and enter. Performing Clear High Score will clear the all high score tables. Press Start to Select. Press Tunes or Service to Exit.

Really Clear High Scores?	Utilities
Yes	Please note the
No	following:
Cancel	Setting default adjustments or performing a factory restore will require calibration afterwards.
	A factory restore will perform all the resets listed at the left, clearing credits,
Press Volume +/- or View 1/3 to Navigate Press Test or Start to Select Press Service or Tunes to Exit	audits, high scores, player data.

#### **Clear Player Stats Menu**

From the *Utilities Menu*, select *Clear Player Stats* and enter. Performing Clear Player Stats will clear all player information, including PIN, car upgrades and money earned. Press Start to Select. Press Tunes or Service to Exit.

Really Clear Player Stats?	Utilities
Yes	Please note the
No	following:
Cancel	Setting default adjustments or performing a factory restore will require calibration afterwards.
	A factory restore will perform all the resets listed at the left, clearing credits.
Press Volume +/- or View 1/3 to Navigate Press Test or Start to Select Press Service or Tunes to Exit	audits, high scores, player data.

#### Set Default Adjustments Menu

From the *Utilities Menu*, select *Default Adjustment* and enter. Performing Default Adjustment setting will restore game adjustments back to its manufacturer recommended settings. The game will need to be re-calibrated. Press Start to Select. Press Tunes or Service to Exit.

Really Set Default Adjustments?	Utilities
Yes No	Please note the following:
Cancel	Setting default adjustments or performing a factory restore will require calibration afterwards.
	A factory restore will perform all the resets listed at the left, clearing credits,
Press Volume +/- or View 1/3 to Navigate Press Test or Start to Select Press Service or Tunes to Exit	audits, high scores, player data.

#### Factory Restore Menu

From the *Utilities Menu*, select *Factory Restore* and enter. Performing Factory Restore will restore game adjustments back to its manufacturer recommended settings and clear all audit information. The game will need to be re-calibrated. Press Start to Select. Press Tunes or Service to Exit.

Really Perform Factory Restore?	Utilities
Yes No	Please note the following:
Cancel	Setting default adjustments or performing a factory restore will require calibration afterwards.
	A factory restore will perform all the resets listed at the left, clearing credits, audits, high scores
Press Volume +/- or View 1/3 to Navigate Press Test or Start to Select Press Service or Tunes to Exit	player data.

#### **Calibration Menu**

From the **Test Main Menu**, select **Calibration** and enter. Making sure that the wheel, gas and brake are all properly calibrated is the easiest way to make sure that your driving game could maximize its earning potential. Follow the screen instructions carefully. Verify proper calibration on the Switch Test screen. Check and make sure that the minimum, center and maximum values correspond to the actual position of the control.



#### Note:

- If the game requires constant recalibration, check the controls for mechanical wear or damage. Replace if necessary.
- Normal wear and tear of the controls means that calibration should be part of the games scheduled maintenance.

#### Volume Menu

From the **Test Main Menu**, select **Volume** and enter. This refers to the game volume while in play. Use the Volume Up/ Volume Down button on the service panel to adjust volume level. Press Start to Select. Press Tunes or Service to Exit.



#### Note:

- Adjusting the volume while in attract mode only affects the attract volume and the not the actual game volume.
- Adjustment to game volume must be done while on Volume Adjust screen or while on game mode.
- Adjust volume levels relative to location and environment.

#### Volume Menu

From the **Test Main Menu**, select **Attract Volume** and enter. This refers to the attract mode volume. Use the Volume Up/ Volume Down button on the service panel to adjust volume level. Press Start to Select. Press Tunes or Service to Exit.



# TROUBLESHOOTING GUIDE

PROBLEM	POSSIBLE CAUSE	SOLUTION
Game will not power	Come not plugged in	Diug game inte recenteele
up.	Game not plugged in.	Flug game into receptacie.
	Game not turned on.	Turn ON main power switch
	Game fuse is blown	Check game fuse.
	No power to receptacle.	Plug game into powered receptacle.
	PC power switch is OFF	Turn PC power switch ON.
	PC BIOS set wrong.	See Appendix B.
"No Signal" Message	Video cable not secure.	Check and secure video connector.
	PC not turned ON.	Turn ON power to PC.
No video display.	No power to video display.	Check power to video display.
		see Game will not power up.
No sound.	Audio cable not connected.	Check audio cable connection.
	Speaker not connected.	Check speaker connection.
"I/O Board Missing"	USB connector not	Check USB connector from PC to I/O
_	connected.	board. Perform Hard Drive Recovery
Game will not load.	New Hard Drive installed.	Power cycle by un-plugging game.
		Perform Hard Drive Recovery
	Hard Drive data corrupted.	Perform Hard Drive Recovery.
Game Freezes	Secure Dongle Loose	Secure and Tighten Dongle
	Poor Ventilation	Check Fan Operation and Airflow
	USB cable loose	Remove and Reinsert USB both ends
		of cable
	Failing or Bad Power	Check Power Supply Output or
	Supply	Replace With Known Good.
	Corrupted Hard Drive	Perform CRC Check. Re-Image if bad.
Game resets.	Low DC voltage.	Check for proper voltage(+5V,+12V)
	Door lamp is wrong rating.	Use only 5volt lamps.
	Cabinet/PC temperature is	Check that vents and fans are
	too high.	functioning and not obstructed.
	Hard Drive data corrupted.	Perform Hard Drive Recovery
Not Linking	DIP Switch Set Wrong	Refer to Networking Setup Section.
	Network Cable Bad	Check Connection or Replace
	Game Operator Settings	Make Sure All Settings Are The Same
	Not The Same.	Between Linked Games
No Wheel Feedback	Bad Wheel Driver Board	Replace With Known Good To Verify
	Bad Fuse on Wheel Driver	Replace Fuse On Wheel Driver With
	Board	The Same Value Fuse
	Parallel Cable Loose	Secure and Tighten Parallel Cable
	Loose Electrical Connection	Check Connection To Motor and
		vvneel Driver Board
	Bad Transformer Fuse	Replace With Same Value Fuse

**Warning:** Do not connect or disconnect any cables or connectors on this game with the power on. This could potentially damage the game.

**NOTICE:** Fast and the Furious is shipped with a recovery CD (Compact Disc). Hard drives have been known to occasionally fail for many reasons. Follow the procedure below to restore data on the hard drive if a disk failure should occur. Use extreme care when performing the following procedure and avoid rough handling of pc or CD. Please check the Troubleshooting Guide section of this document. Have the recovery CD ready before you begin.

The following are some symptoms which may indicate a possible bad hard drive:

- Hard Drive Test reports "bad" or "missing" files. Please refer to Trouble Shooting section of the manual.
- The game fails to finish loading.
- A boot error is reported after game is power cycled or reset.
- The game is looking for a boot CD to be inserted.
- Erratic game or attract mode.

Note: It is important that the USB cable from pc and power is connected to the I/O board before you proceed.

#### Hard Drive Recovery Procedure:

- 1. Open the control panel to access the pc.
- 2. Press the button on the CD drive to open CD tray.
- 3. Carefully insert the recovery disk into the tray.
- 4. Press the button on the CD drive to close the CD tray.
- 5. Turn OFF the pc by pressing the power button once.
- 6. Turn ON the pc by pressing the power button once.
- 7. Disk recovery process will begin automatically.
- 8. A message at the top of the screen will prompt you to remove the disk when process is over. Press the CD drive button to open tray. Remove the recovery disk and store safely.
- 9. Turn OFF the pc by pressing the power button once.
- 10. Turn ON the pc by pressing the power button once.

Note: Do not interrupt power or reset the game during the following process!

- 11. The game will begin to initialize and load. It will typically take about five minutes to complete.
- 12. The hard drive recovery process is complete when the game enters attract mode.
- 13. Proceed with control calibration and make necessary game adjustments. Please refer to Setup and Test section of this manual.

-- End of Procedure--

# AppendixB: Power Management Setting(BIOS)

**NOTE:** Fast and Furious is shipped with the correct BIOS settings. Any changes made to the BIOS other than what is described below may adversely affect game functionality.

This BIOS setting allows the PC to automatically power up when AC power is detected. This eliminates the need to manually turn the PC ON after a power disruption.

Procedure:

- 1. Turn game OFF.
- 2. Connect a PS/2 or USB keyboard to the PC.
- 3. Hold the DELETE key while turning the PC ON.
- On the BIOS menu screen, use the <u>DOWN</u> arrow to scroll down to Power Management Setup. Hit <u>ENTER</u> key once.
- 5. On the *Power Management Setup* menu, use the <u>DOWN</u> arrow to scroll down to *After AC Power Lost*.
- 6. Use the (+) button to change After Power Lost setting to: [Power ON].
- 7. Hit <u>F10.</u>
- 8. Hit Enter to Save and Exit.
- 9. PC will reset and begin to load game.

# **Appendix C: Basic Display Adjustments**

**WARNING:** Extremely high voltage is present on the monitor assembly. The monitor does not contain any user serviceable parts. Do not attempt to service the monitor.

Target: Terror utilizes gun optic boards which rely on signals being detected from the display to operate properly. The quality of the display is an important element in making sure that the guns operate correctly and reliably.

The following are display settings which you should become familiar with. It is important to note that settings may differ slightly between manufacturers and even between displays of the same manufacturers. Certain factors like age of the display could also be a factor. Therefore, the information below should only serve as a reference as actual settings may not be practical in most cases.

Setting	Adjustment
Brightness	Function: Background Brightness or Black Level.
	Set Level: Black background should appear dark and not gray.
Contrast	Function: Definition/ Sharpness of character against background.
	Set Level: Outer edges of character or text should not be distorted.
H-Position	Function: Horizontal Position. Side/side centering.
	Set Level: Picture should be centered from side to side.
H-Size	Function: Horizontal Size. Side/side dimension.
	Set Level: Picture should be full from side to side.
V-Position	Function: Vertical Position. Up/down centering.
	Set Level: Picture should be centered up and down.
V-Size	Function: Vertical Size. Up/down dimension.
	Set Level: Picture should be full from top to bottom.
Pin Cushion	<b>Function:</b> Degree of straightness along both vertical sides of the picture.
	<b>Set Level:</b> Both sides of the picture should be straight, without curvature.
Degauss	Function: De-magnetizes the picture tube when activated. This eliminates
	picture discoloration caused by magnetic disturbance around the picture tube.

Digital displays are adjusted using a button type remote adjust board. Below are functional diagrams for Kortek and Wells Gardner 27" digital displays:

#### Kortek Remote:



#### Wells Gardner:



Exit/Degauss: Exit Menu or Degauss Select: Select setting to be adjusted. Down: Cycles downward thru levels Up: Cycles upward thru levels

**Down:** Cycles downward thru levels **Up:** Cycles upward thru levels **Select:** Select setting to be adjusted. **Mode:** Menu/Exit

## THE FAST AND THE FURIOUS PARTS LIST

#### RT PART # Description

Part # Code: Game - Type - Assembly - Subassy - Subassy - Number

2-1-00-00-00-000	27" SITDOWN FAST AND FURIOUS GAME
2-1-01-00-00-000	27" SITDOWN CABINET ASSEMBLY
2-1-01-00-00-001	27" Sitdown Cabinet
2-1-01-00-00-002	27" Sitdown Marquee Graphics
2-1-01-00-00-003	27" Sitdown Left Side Cabinet Sticker
2-1-01-00-00-004	27" Sitdown Right Side Cabinet Sticker
2-1-01-00-00-005	27" Sitdown Instrument Panel Sticker
2-1-01-00-00-006	27" Sitdown Shift Panel Sticker
2-1-01-00-00-007	27" Sitdown Speaker Panel Top Sticker
2-1-01-00-00-008	27" Sitdown Speaker Panel Low Sticker
2-1-01-00-00-009	27" Sitdown Left Side Pedestal Sticker
2-1-01-00-00-010	27" Sitdown Right Side Pedestal Sticker
2-1-01-00-00-011	27" Sitdown Seat Back Sticker
2-1-01-00-00-012	27" Sitdown Marquee Clear Plastic Lens
2-1-01-00-00-013	27" Sitdown Instruction Panel Clear Overlay
2-1-01-00-00-014	27" Sitdown Shift Panel Clear Overlay
2-1-01-00-00-015	27" Sitdown Ped Cent Back Sticker
2-1-01-00-00-016	27" Sitdown Ped Low Back Sticker
2-1-01-00-00-017	DECAL WHEEL CAP FF LOGO
2-1-01-00-00-018	BEZEL
2-1-01-00-00-019	DASHBOARD COVER
2-1-01-00-00-020	PEDESTAL UPPER LIGHT WINDOW
2-1-01-00-00-021	PEDESTAL LOWER LIGHT WINDOW
2-1-02-00-00-000	COMPUTER- FNF MICROTEL
2-1-02-00-00-001	MOTHER BOARD, MSI
2-1-02-00-00-002	512 RAM PC3200
2-1-02-00-00-003	20G HD 7200 RPM
2-1-02-00-00-004	AMD ATHLON PROC.
2-1-02-00-00-005	NVIDIA GRAPHICS
2-1-02-00-00-006	PC uATX 270W PowerSupply
2-1-02-00-00-007	INTERNAL WATCHDOG HARNESS
2-1-02-00-00-008	WATCHDOG HARNESS BRACKET
2-1-02-00-00-009	DONGLE
2-1-02-00-00-010	WIN XP LICENSE STICKER
2-1-02-00-00-011	STEREO 1/8" CABLE
2-1-02-00-00-012	AV CABLE- PLUG TO PLUG
2-1-02-00-00-013	MOLDED DB25- THROUGH
2-1-02-00-00-014	CROSSOVER NETWORK CABLE 10"
2-1-02-00-00-015	USB CABLE- 6' MALE/MALE
2-1-02-00-00-016	TRANSFORMER MCI 4-06-8036G
2-1-02-00-00-017	POWER SUPPLY PETER CHO,200W
2-1-02-00-00-018	RUBBER SANDWICH MOUNT
2-1-02-00-00-019	WATCHDOG RELAY HARNESS

<b>2-1-03-00-00-000</b> 2-1-03-00-00-001 2-1-03-00-00-002 2-1-03-00-00-003 2-1-03-00-00-004	STEERING WHEEL ASSY. STEERING WHEEL HOOP- SOFT RUBBER 36V STEERING MECH WHEEL CAP FOR SOFT HOOP W/FF LOGO SPLIT HUB F 5/8" SHAFT
2-1-04-00-00-000	MONITOR 27" KORTEK
<b>2-1-05-00-00-000</b> 2-1-05-00-00-001 2-1-05-00-00-002 2-1-05-00-00-003	MANUAL INSPECTION SHEET QC AUDIT SHEET HD RECOVRY_CD
2-1-06-00-00-000	DUAL PEDAL MECH W/ LONG LIFE POT
2-1-07-00-00-000	SPIRAL 26WATT LAMP MED BASE SCREW IN
2-1-08-00-00-00	FLOURECENT LAMP ASSY 24~-ST120x40 AMER. FLOUR
<b>2-1-09-00-00-00</b> 2-1-09-00-00-01 2-1-09-00-00-02 2-1-09-00-00-03	SEAT ASSY SEAT SLIDE ASSY W/NEW BASEPLATE GRILL ASSY MOLDED(HEADREST) SEAT - NO TRIM FOR HEAD SPKR
2-1-10-00-00-00	SPEAKER MARQUEE- 80HM SHEILDED 5.5" FULL RANGE
2-1-11-00-00-00	SPEAKER WOOFER- 6.5" 4 OHM
2-1-12-00-00-00	I/O BOARD
2-1-13-00-00-00	H-BOOM BOARD
<b>2-1-13-00-00-00</b> 2-1-13-00-00-01 2-1-13-00-00-02 2-1-13-00-00-03 2-1-13-00-00-04 2-1-13-00-00-05	BUTTON LARGE ELLIP ORANGE-TUNES BUTTON LARGE ELLIP GRN-START/NITRO BUTTON LARGE ELLIP RED-1 BUTTON LARGE ELLIP WHIT 2 BUTTON LARGE ELLIP BLUE 3 SERVICE SWITCH(BLACK OR RED) .5A
2-1-14-00-00-00	KEYPAD
<b>2-1-15-00-00-00</b> 2-1-15-00-00-01 2-1-15-00-00-02	SHIFTER 4WAY ASSY SHIFTER MOUNTING PLATE SHIFTER 4WAY

2-1-16-00-00-00	S/A WELDMENT CONTROL PANEL
2-1-16-00-00-01	WELDMENT COIN VAULT
2-1-16-00-00-02	VENT LOUVER, 8 HOLE
2-1-16-00-00-03	MARQUEE SPEAKER GRILL POWDER COAT
2-1-16-00-00-04	TEST SERVICE BRACKET
2-1-16-00-00-05	PEDESTAL SUPPORT BEAM
2-1-16-00-00-06	BRACKET CPU MOUNT
2-1-16-00-00-07	BRACKET MONITOR MOUNTING
2-1-16-00-00-08	ANGLE MONITOR BRACKET EDGE BLK
2-1-16-00-00-09	ANGLE PEDESTAL EDGE BLK
2-1-16-00-00-10	SEAT SPEAKER GRILL BLK
2-1-16-00-00-11	MONITOR BARRIER SIDE/SIDE
2-1-16-00-00-12	MONITOR BARRIER TOP/BTM
2-1-16-00-00-13	WOOD PC MOUNT
2-1-17-00-00-00	KORTEK REMOTE EXTENSION CABLE
2-2-01-00-00-001	UPRIGHT CABINET
2-2-01-00-00-002	UPRIGHT MARQUEE GRAPHICS
2-2-01-00-00-003	UPRIGHT LEFT SIDE CABINET STICKER
2-2-01-00-00-004	UPRIGHT RIGHT SIDE CABINET STICKER
2-2-01-00-00-005	UPRIGHT FRONT STICKER
2-2-01-00-00-006	UPRIGHT CONTROL PANEL STICKER
2-2-01-00-00-007	UPRIGHT MARQUEE GLASS
2-2-01-00-00-008	UPRIGHT CONTROL PANEL PLASTIC OVERLAY
2-4-02-00-00-016	CE / JAPAN TRANSFORMER



The Fast and the Furious • Copyright 2004 • Raw Thrills Inc • All rights reserved.

Copyright and License Notice:

The Fast and the Furious videogame Copyright 2004 Raw Thrills, Inc. All rights reserved.

The Fast and the Furious is a trademark and copyright of Universal Studios licensed by Universal Studios Licensing L.L.L.P. All rights reserved. Parental Advisory: A note to parents: The Fast and the Furious is rated PG-13. Consult <u>www.filmratings.com</u> for further information.

Steering wheel force feedback technology licensed from Atari Games Corporation, United States patent #5,044,956.

Official Nissan Product. Nissan, 350Z, 240SX, Skyline GTR and associated symbols, emblems and designs are trademarks of Nissan Motor Co., Ltd. Used under license to Raw Thrills, Inc.

Toyota, Supra, Celica, MR2 and all other associated marks, emblems and designs are intellectual property rights of Toyota Motor Corporation and used with permission.

Mitsubishi, Eclipse, Lancer EVO VIII, emblems, and distinctive vehicle body designs are trademarks of Mitsubishi Motors Corporation and are used under license to Raw Thrills, Inc.

Dodge is a trademark of DaimlerChrysler Corporation. Hemi(r) is a registered trademark of DaimlerChrysler Corporation. Dodge Charger, Dodge Challenger, Dodge HEMI(r), Dodge Viper and their trade dress are used under license by (Licensee). (c) DaimlerChrysler Corporation 2005.

General Motors Trademarks used under license to Raw Thrills.

Hummer, Hummer H2, all related emblems and the distinctive vehicle body and grille design are General Motors Trademarks used under license to Raw Thrills.