
## WILDCAT PRODUCTS, INC.

2734 PEAR ORCHARD RD., GRANBURY, TEXAS 76048-7770

PHONE: (817) 579-7333 FAX: (817) 579-6646





## TOUCHDOWN FOR VIDEO SCREENS

TOUCHDOWN IS DESIGNED TO GIVE YOU A VIDEO THAT WILL LOOK NEW EVEN AFTER MANY YEARS OF SERVICE. SPRAY TOUCHDOWN ON THE MONITOR SCREEN AND WIPE OFF WITH A CLEAN DRY CLOTH. TOUCHDOWNLEAVES AN INVISIBLE SILICON COAT THAT PROTECTS AGAINST DIRT, DUST, FINGERPRINTS, SMUDGES AND HELPS PREVENT SCRATCHES.

TOUCHDOWN IS PACKAGED IN A 16 FL. OZ. BOTTLE WITH A FINGER TIP SPRAY MIST. 12 BOTTLES PER CASE.

## MATERIAL SAFETY DATA SHEET

This MSDS compiles with OSHA'S Hazard Communication Standard 29 CFR 1910,1200 and OSHA Form 174

IDENTITY AND MA	NUFACT	URER'S INFORMAT	NOF				
NFPA Rating: Health-1; Flammability-3; Reactivity-0; Special-	М	AIS Rating: Health-1;	Flammabl	ity-3; Reactiv	ity-0; Person	a cro-ection-B	
anulacturer's Name: AMREP, INC.		DOT Hazard Classification: Flammable Liquid, 3					
Address: 990 Industrial Park Drive Marietta, GA 30062	ld	Identity (trade name as used on lahelt					
Date Prepared: 11/01/93 Prepared By: ES/IAB		MSDS Number: R 130 Revision - 4					
Information Calls: (404)422-2071 EMERGENCY RESPONSE NUMBER: 1(800)255-3924		NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA					
SECTION 1 - MATERIAL	IDENTIFI	CATION AND INFO	RMATION	, <u> </u>			
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES		CAS Number	SARA	OSHA PEL	ACGIH	Carcinogen	
(Hazardous Components 1% or greater; Cardinogens 0.1% or greater)			III LIST	(ppm)	TLV (ppm)	Ref. Source	
ISOPROPANOL		67-63-0	Yes	400	400	d	
		<u> </u>		L	<u> </u>		
			<u> </u>	ļ			
		<u> </u>	<del></del>			<u> </u>	
		<del> </del>	<b></b>	ļ. <u> </u>	<u> </u>	<u> </u>	
		<del></del>					
		- <del> </del>	<del></del>	ļ		ļ	
		<del> </del>	<del></del>	ļ		ļ	
			<u> </u>	Ĺ		<u> </u>	
SECTION 2 - PHYSICA						<del></del>	
Boiling Point: N/D Vapor Pressure: PSIG @ 70°F (Asiosols): WA		ecific Gravity (H2O=1)		No and Temp	erature): N/D		
Vapor Density (Air = 1): N/D		Vapor Pressure (Non-Aerosots)(mm Hg and Temperature): N/D  Evaporation Rate ( = 1): N/D					
Solubility in Water: Dispersible		Water Reactive: No					
Appearance and Odor: Non-viscous, while emulsion with alcohol odor.			<del></del>				
SECTION 3 - FIRE A	AND EXP	OSION HAZARD D	ATA				
FLAMMABILITY as per USA FLAME PROJECTION TEST		nition Temperature		ability Limits	in Air by %	in Volume:	
(aerosols) N/A		N/D_	<u>% LEL</u>	.: 2	% UEL:	12	
FLASH POINT AND METHOD USED (non-aerosols): 869F (TCC)		ECIAL FIRE FIGHTING	PROCED	URES: Cool fi	re exposed $\infty$	ntainers with	
EXTINGUISHER MEDIA: Water log, "alcohol" loam, dry chemical or CO2	2. Wa	ler.		·			
Unusual Fire & Explosion Hazards: None known.			<del></del>			<del></del>	
<u></u>		TY HAZARD DATA				500115	
		HAZARDOUS POLYMERIZATION [   WILL   X   WILL NOT OCCUR Conditions to Avoid: Heat, all sources of ignition.					
Hazardous Decomposition Products: Oxides of carbon, unidentified on			at, an 30010	es or igrinion.			
	<del></del>	HAZARD DATA	<del></del>				
PRIMARY ROUTES OF ENTRY: [X]INHALATION [X]		<del></del>	TION I X	TEYE I IN	OT HAZARDO	ous	
ACUTE EFFECTS		·		<u> </u>			
Inhalation: High concentrations of vapor (not likely to occur) can initiate re	espiratory tr	act & may cause brond	hopneumor	ia or pulmona	ry edema.		
<u></u>				ted to have adverse effects.			
Ingestion: May cause nausea, vomiting & abdominal pain, if vomiting occ						monary edema	
CHRONIC EFFECTS: None known,		<del></del>				<u> </u>	
Medical Conditions Generally Aggravated by Exposure: None known.	,						
EMERGENCY	FIRST A	D PROCEDURES					
Eye Contact: Flush with water for 15 minutes. If initation persists, get med	dical attention	on.					
Skin Contact: Wash with soap and water.				.,			
Inhalation: Remove to Iresh air.							
Ingestion: DO NOT INDUCE VOMITING. Drink 2 large glasses of water.		- <del></del>					
SECTION 6 - CONTRO	OL AND P	ROTECTIVE MEAS	URES			<del></del>	
Respiratory Protection (specify type): None normally needed.							
Protective Gloves: None normally needed.		Protection: Chemics			a balaw Card	on Claunta	
Ventilation Requirements: Normal ventilation is usually adequate. Use e	<del></del>	ooi venilialion ii needec	io maintali	Concerniation	15 Delow Secti	on Hevels.	
Other Protective Clothing & Equipment: Eyewash station & salety should be a series of the protection of the series		e banding				·	
Hygienic Work Practices: Do not eat, drink or smoke in work area. Wash			AND USE				
SECTION 7 - PRECAUTION Steps To Be Taken If Material is Spilled Or Released: Eliminale all igni				allow to dry to	a ventileted to		
Waste Disposal Methods: Small quantities of liquid may be flushed down							
Precautions To Be Taken in Handling & Storage:Store in original shippi		<del></del>					
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF C							
The second of th							