

I. IDENTIFICATION

PRODUCT NAME: MILL WAX ONE STEP WAX

CHEMICAL NAME: N/A CHEMICAL FAMILY: Polishing Compound N.O.I.

FORMULA: N/A MOLECULAR WEIGHT: N/A

SYNONYMS: EDP #1779

DEPARTMENT OF: HAZARD CLASSIFICATION NOS. N/A

TRANSPORTATION: CFR 49 SHIPPING NAME: Cleaning Compound N.O.I.

CAS# N/A CAS NAME: N/A

II. PHYSICAL DATA

BOILING POINT (760mmHg) N/A FREEZING POINT N/A

SPECIFIC GRAVITY (H₂O=1) -1 VAPOR PRESSURE AT 20°C N/A

VAPOR DENSITY (air=1) N/A EVAPORATION RATE (Butyl Acetate=1) N/A

PERCENT VOLATILES BY VOLUME 75 SOLUBILITY IN WATER % BY WT N/A

APPEARANCE AND ODOR Thick creamy tan liquid with solvent odor

III. INGREDIENTS

| MATERIAL | % | TLV UNITS | HAZARD | CAS # |
|-------------------|-------|----------------------|-------------|------------|
| Natural Wax | <10 | N/A | N/A | 8012-89-3 |
| Petroleum Naptha | <10 | N/A | Combustible | 64742-47-8 |
| Polysiloxane | 10-20 | N/A | N/A | 63146-62-9 |
| Aluminum Silicate | 10-20 | 10 mg/m ³ | Dust | 7631-86-9 |
| Water | 40-60 | N/A | None | 7732-18-5 |

IV. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (test methods) N/A

FLAMMABLE LIMITS IN AIR % by volume LOWER N/A UPPER N/A

EXTINGUISHING MEDIA Any

SPECIAL FIRE FIGHTING PROCEDURES N/A

UNUSUAL FIRE & HAZARD EXPLOSION HAZARDS N/A

V. HEALTH HAZARD DATA

EXPOSURE LIMITS TLV, PEL AND SOURCE: See Section III

ACUTE EFFECTS OF OVEREXPOSURE

SWALLOWING May cause mild irritation to gastrointestinal tract, vomiting, nausea, diarrhea

SKIN ABSORPTION N/A

INHALATION Slight Irritation

SKIN CONTACT Mild irritation, Avoid contact with abraded skin

EYE CONTACT May cause irritation, redness, tearing

Page 2

CHRONIC EFFECTS OF OVEREXPOSURE N/A

OTHER HEALTH HAZARDS N/A

EMERGENCY & FIRST AID PROCEDURES

SWALLOWING Do NOT induce vomiting. Keep person warm & quiet. Contact physician immediately.

SKIN Rinse with water. If irritated wash with mild soap & water. Contact Physician

INHALATION Remove to fresh air. Administer oxygen if breathing is difficult. Contact physician

EYES Flush immediately with large amount of water for 15 minutes lifting upper & lower lids occasionally. Get medical attention.

PRIMARY ROUTE OF ENTRY Ingestion

NOTE TO PHYSICIAN N/A

VI. REACTIVITY DATASTABILITY

UNSTABLE STABLE X CONDITIONS TO AVOID See below

INCOMPATIBILITY(materials to avoid) Oxidizing Agents

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS N/A

HAZARDOUS POLYMERIZATION

MAY OCCUR WILL NOT OCCUR X CONDITIONS TO AVOID See above

VII. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED Mop up spill for reuse/disposal. Dispose of non useable product in accordance with local regulations

WASTE DISPOSAL METHOD: Above in accordance with local, state and federal regulations.

VIII. SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION(specify type) Not required

VENTILATION None required

PROTECTIVE GLOVES Yes EYE PROTECTION Safety goggles

OTHER PROTECTIVE EQUIPMENT None

Page 3

IX. SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING _____ N/A

OTHER PRECAUTIONS _____ N/A

X. CARCINOGEN EVALUATION

None of the raw material components of this product are known or suspected to be carcinogens

XI. MSDS PREPARATION INFORMATION

This MSDS was prepared by: JOEL POCHRON
TECHNICAL DIRECTOR
MALCO PRODUCTS, INC.
361 FAIRVIEW AVE P O BOX 892
BARBERTON, OHIO 44203

216-753-036

THIS MSDS WAS LAST UPDATED ON: December 18, 1992XII. HMIS RATINGHEALTH: 1 FLAMMABILITY 1 REACTIVITY: 0 PERSONAL PROTECTIVE EQUIPMENT: B

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY THE MATERIALS IF REASONABLE SAFETY PROCEDURES ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEET. ADDITIONALLY, VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY ABNORMAL USE OF THE MATERIAL, EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED. FURTHERMORE, VENDEE ASSUMES THE RISK IN HIS USE OF THE MATERIAL.