

ITW Permatex
Spray Nine Brands
10 Columbus Blvd.
Hartford, CT 06106 USA
Telephone: 1-87-Permatex
(877) 376-2839
Emergency: 800-255-3924 (ChemTel)
International Emergency: +01-813-248-0585

ITW Permatex Canada
35 Brownridge Road, Unit 1
Halton Hills, ON Canada L7G 0C6
Telephone: (800) 924-6994
Urgence: 800-255-3924 (ChemTel)

Material Safety Data Sheet

1. PRODUCT IDENTIFICATION

Product Name: Spray Nine® 32 fl.oz
Product Type: Multi-Purpose Cleaner

2. COMPOSITION/INFORMATION ON INGREDIENTS

Component:	Weight%	ACGIH; TLV-TWA	OSHA PEL
WATER 7732-18-5	>80	Not listed	Not listed
ETHOXYLATED C9-C11 ALCOHOLS 68439-46-3	1-5	Not listed	Not listed
DIPROPYLENE GLYCOL MONOBUTYL ETHER 29911-28-2	1-5	Not listed	Not listed

3. HAZARDS IDENTIFICATION

Toxicity: Product may cause reversible eye and skin irritation.. May irritate respiratory system upon frequent or prolonged use. Oral LD50 greater than 5000 mg/kg.

Primary Routes of Entry: Eye and skin contact, ingestion, inhalation

Signs and Symptoms of Exposure: Overexposure may cause eye and skin redness. May cause inflammation of mucous membranes and irritation. Ingestion may cause nausea and vomiting.

Aggravated Medical Condition: Preexisting eye, skin and respiratory disorders may be aggravated by overexposure to this product.

WHMIS Hazard Class: Non-controlled

4. FIRST AID MEASURES

Ingestion: If swallowed, do not induce vomiting - seek medical advice. Never give anything by mouth to an unconscious person.

Inhalation: Move to fresh air in case of accidental inhalation of vapours. If symptoms persist, call a physician.

Skin Contact: Wash off with soap and water. If skin irritation persists, call a physician.

Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

5. FIRE FIGHTING MEASURES

Flash Point °F(°C): 182°F/83°C TCC

Recommended Extinguishing Media: Carbon dioxide, Dry chemical, Foam

Special Fire-Fighting Procedures: Wear suitable protective equipment. Use water spray to cool exposed containers.

Hazardous Products of Combustion: Oxides of carbon, Oxides of nitrogen

Unusual Fire/Explosion Hazards: Does not sustain combustion (ASTM D4206).

Lower Explosive Limit: Not determined

Upper Explosive Limit: Not determined

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures: Maintain good ventilation. Take up with an inert absorbent. Store in a closed waste container until disposal. Clean up spills thoroughly as residue is slippery.

7. HANDLING AND STORAGE

Storage:	Keep containers tightly closed in a cool, well-ventilated place. Store below 100°F. Do not allow freezing.
Handling:	Use in a well ventilated area. Avoid contact with skin and eyes. Wash thoroughly after handling. Product may cause surfaces to become slippery.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes:	Safety glasses.
Skin:	Neoprene or nitrile gloves recommended.
Ventilation:	Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.
Respiratory Protection:	Not required under normal use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear liquid
Odor:	Citrus
Boiling Point:	~212°F (100°C)
pH:	~12.4
Solubility in Water:	Soluble
Specific Gravity:	1.02 g/ml
VOC(Wt.%):	0
Vapor Pressure:	18 mm Hg
Vapor Density (Air=1):	>1
Evaporation Rate:	<1 (butyl acetate=1)

10. STABILITY AND REACTIVITY

Chemical Stability:	Stable
Hazardous Polymerization:	Will not occur
Incompatabilities:	Strong oxidizers
Conditions to Avoid:	Freezing
Hazardous Products of Combustion:	Oxides of carbon, Oxides of nitrogen

11. TOXICOLOGICAL INFORMATION

Oral LD50 (rat) >5,000 mg/kg
Dermal LD50 (rabbit) >5,000 mg/kg
Inhalation LD50 (rat) >200 g/L
Eye irritation: Draize = 27.3 of 110 (reversible in 10 days)
Skin irritation: Draize 2.5 of 10 (reversible in 14 days)

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Recommended Method of Disposal:	Disposal should be made in accordance with federal, state and local regulations
US EPA Waste Number:	NH - Not a RCRA Hazardous Waste Material

14. TRANSPORTATION INFORMATION

DOT (49CFR 172)	
U.S. Department of Transportation - DOT - 49 CFR (Ground)	
DOT Shipping Name:	Not regulated
Hazard Class:	None
UN/ID Number:	None
IATA (Air)	
Proper Shipping Name:	Not regulated
Class or Division:	None
UN/ID Number:	None
IMDG (Vessel)	
Proper Shipping Name:	Not regulated
Hazard Class:	None
UN Number:	None

Product Name: Spray Nine® 32 fl.oz

Marine Pollutant: None

SARA 313 Chemicals: The following component(s) is listed as a SARA Section 313 Toxic Chemical.

None

California Proposition 65: No California Prop 65 chemicals are known to be present.

TSCA Inventory Status: All components of this product are listed (or exempt) on the EPA TSCA inventory.

16. OTHER INFORMATION

Estimated NFPA Rating: HEALTH 1, FLAMMABILITY 1, REACTIVITY 0.

Estimated HMIS Classification: HEALTH 1, FLAMMABILITY 1, PHYSICAL HAZARD 0

(NFPA is a registered trademark of the National Fire Protection Association)

(HMIS is a registered trademark of the National Paint and Coatings Association)

Prepared By: Denise Boyd, Manager-Environmental, Health & Safety

Company: ITW Permatex 10 Columbus Blvd. Hartford, CT USA 06106

Telephone No.: 1-87-Permatex (877) 376-2839

Revision Date: March 25, 2014

Revision Number: 3